

Modify Section 32 01 00 per the following (deletions are shown struck through and additions are underlined). Remainder of section is unchanged.

32 01 00 General requirements and owner intent

.01 Inspection and Testing

- A. Continuous inspection and testing by a testing laboratory with a Soils Engineer ~~as approved by the Professional~~ shall be provided during filling and compaction. All footing excavations shall be inspected by a qualified inspector to ascertain that all excavations have penetrated topsoil, soil with organic matter, or fill to undisturbed soil; that the bottom of the excavation is on suitable bearing material; and that all loose material, water and water-softened material has been removed just prior to placing concrete. The Owner Contractor shall contract and pay for the services of the testing laboratory and the Soils Engineer. Copies of the reports from the testing laboratory shall be forwarded to the Contractor, the University, and the Professional.
- B. Compaction Tests (if required)
 - 1. The Owner Contractor shall employ a recognized testing laboratory, ~~approved by the Professional~~, to perform verification testing of compaction.
 - 2. The Professional and the University reserve the right to direct where tests shall be taken.
 - 3. Certification of compliance from testing laboratory shall be provided to the Professional, which shall state that the earth compaction conforms to the requirements of these specifications. Certificates shall be received and approved by the Professional prior to concreting operations.

END of revision

Update Commentary:

Section was updated primarily for the following reasons:

- 1) Section was revised to reflect changes to hiring of testing agencies.