

.05 Unisex Toilet Rooms

- A. All buildings shall have unisex toilet rooms in the following locations:
 - 1. On the main floor level.
 - 2. On every floor level other than the main level, except where a unisex toilet room exists on the floor above and the floor below.
 - 3. Where required by code.
- B. Every project shall consider the location of existing unisex toilet rooms, and shall include the construction of additional toilet rooms to meet the requirements of the preceding paragraph. No exception is given to any project, except with written approval from the Manager of Design Services, Office of Physical Plant.
- C. All unisex toilet rooms shall meet the requirements of the Americans with Disabilities Act Accessible Guidelines.
- D. Contact the Manager of Design Services, Office of Physical Plant, for signage, plumbing fixtures and toilet accessories requirements.

SUGGESTED CHANGES

.05 requires editing to reflect a more conventional name (single user) & appropriate current codes

.05 Single User Toilet Rooms

- A. All buildings shall have Single User toilet rooms in the following locations:
 - 1. On the main floor level.
 - 2. On every floor level other than the main level, except where a Single User toilet room exists on the floor above and the floor below.
 - 3. Where required by code.
- B. Every project shall consider the location of existing Single User toilet rooms and shall include the construction of additional toilet rooms to meet the requirements of the preceding paragraph. No exception is given to any project, except with written approval from the Manager of Design Services, Office of Physical Plant.
- C. All single user toilet rooms shall meet the requirements of the current adopted International Building Code and Americans with Disabilities Act Standards.
- D. Urinal shall be included within the room.
- E. In “Family” designated rooms, a baby changing station (Koala KB200 or prior approved equal) shall be included.
- F. Contact the Manager of Design Services, Office of Physical Plant, for signage (see PSU interior signage standards web page) and if applicable, atypical plumbing fixtures and toilet accessories requests.